

What Every Pregnant Woman Needs to Know About Cesarean Section

Evidence Tables: Key Questions and Outcomes Examined

Contents

Tables A-C are combined in 1 PDF file (tablesA-C.pdf), and tables D-F are combined in a second PDF file (tablesD-F.pdf). Rationale, methods and bibliographic references are included in methods_sources.pdf. The results of this review were used to create a booklet to help women make informed decisions about cesarean section (cesareanbooklet.pdf). These files are available at <http://www.maternitywise.org/cesareanbooklet/>

A. What are the potential consequences for mothers and babies when mothers have a cesarean section?	1
<i>Includes, and distinguishes, studies of planned cesarean and of combined planned and unplanned cesarean</i>	
1. What are the potential consequences for mothers who have a cesarean section?	1
• maternal death	3
• surgical injury	4
• hysterectomy	4
• hemorrhage	5
• pulmonary embolism and stroke	6
• infection	7
• cardiac stress	9
• pain	10
• general morbidity	12
• hospital readmission	14
• postpartum physical health problems	16
• fatigue	21
• intestinal obstruction	22
• pelvic floor dysfunction	23
• birth experience	23
• mother-infant behavior	26
• mother's attitudes and feelings toward baby	28
• depression	28
• psychological trauma	31
• anxiety and stress	35
• global affect and self-esteem	36
• functional status	39
2. What are the potential consequences for babies of mothers who have a cesarean section?	40
• neonatal death	40
• cuts	41
• brain injury	42
• other birth injury	43
• respiratory problems and Apgar scores	45
• breastfeeding	50

• illness and ailments in childhood and adulthood	54
3. What are the potential future reproductive consequences for mothers who have had a cesarean section?	58
• placenta previa	58
• placenta accreta, and placenta accreta with placenta previa	62
• placental abruption	66
• uterine rupture	68
• depression.....	69
• psychological trauma	70
4. What are the potential consequences for fertility and for future babies of mothers who have had a cesarean section?	72
• infertility	72
• ectopic pregnancy	74
• miscarriage.....	75
• stillbirth and neonatal death	75
• low birthweight and preterm birth	77
• malformations.....	79
• central nervous system injury.....	79
B. What are the potential consequences for mothers and babies when mothers plan a vaginal birth and have an unplanned cesarean section?.....	80
1. What are the potential consequences for mothers who plan a vaginal birth and have an unplanned cesarean section?	80
• maternal death	80
• surgical injury	80
• hemorrhage.....	81
• infection.....	82
• pain	82
• general morbidity	83
• ICU admission	84
• postpartum physical health problems	85
• fatigue	87
• pelvic floor dysfunction	88
• birth experience	89
• mother-infant behavior	91
• mother's attitudes and feelings toward baby.....	92
• depression.....	93
• psychological trauma	96
• anxiety and stress.....	100
• confidence in mothering.....	101
• global affect and self-esteem	102
2. What are the potential consequences for babies of mothers who plan a vaginal birth and have an unplanned cesarean section?	105
• neonatal death.....	105
• brain injury.....	105

• other birth injury.....	106
• respiratory problems.....	107
• breastfeeding problems.....	108
3. What are the potential future reproductive consequences for mothers who plan a vaginal birth and have an unplanned cesarean delivery?.....	110
<i>See A.3 for the following outcomes for this group of women: placenta previa, placenta accreta, placental abruption, uterine rupture</i>	
• psychological trauma.....	110
• preference for future mode of delivery.....	111
4. What are the potential consequences for fertility and for future babies of mothers who plan a vaginal birth and have an unplanned cesarean section?	112
<i>See A.4 for the following outcomes for this group of women and any future babies:: infertility, ectopic pregnancy, miscarriage, stillbirth and neonatal death, low birthweight and preterm birth, congenital anomalies, brain injury</i>	
• infertility.....	112
C. What are the potential consequences for mothers and babies when mothers plan a vaginal birth and have an instrumental vaginal birth?.....	113
1. What are the potential consequences for mothers who plan a vaginal birth and have a vaginal instrumental delivery?	113
• surgical injury.....	113
• hemorrhage, excessive bleeding.....	114
• infection.....	115
• pain.....	116
• hospital readmission.....	117
• postpartum physical health problems.....	118
• fatigue.....	123
• pelvic floor dysfunction.....	125
• birth experience.....	125
• depression.....	127
• psychological trauma.....	129
• anxiety and stress.....	134
• global affect and self-esteem.....	134
• functional status.....	137
2. What are the potential consequences for babies of mothers who plan a vaginal birth and have a vaginal instrumental delivery?	138
• neonatal death.....	138
• brain injury.....	138
• other birth injury.....	140
• respiratory problems.....	141
• breastfeeding problems.....	142
3. What are the potential future reproductive consequences for mothers who plan a vaginal birth and have a vaginal instrumental delivery?	144

• depression.....	144
• psychological trauma.....	144
• preference for future mode of delivery.....	146
4. What are the potential consequences <i>for fertility and for future babies</i> of mothers who plan a vaginal birth and have a vaginal instrumental delivery?.....	147
• infertility.....	147
D. What is the role of planned cesarean section in preventing persistent pelvic floor disorders that adversely affect quality of life?	149
Relationship between mode of delivery and	
• urinary incontinence	151
• anal incontinence.....	159
• pelvic floor weakness/prolapse	165
E. What factors contribute to pelvic floor defects and disorders?	167
1. What modifiable obstetric factors can cause or contribute to pelvic floor disorders after birth?	167
• episiotomy, median.....	167
• vaginal instrumental delivery, total	170
• vaginal instrumental delivery, vacuum extraction.....	172
• vaginal instrumental delivery, forceps.....	173
• epidural analgesia	175
• fundal pressure or perineal pressure by caregiver	177
• pushing position or technique	177
• malposition, including occiput posterior	178
• association between trauma and anal defect/weakness/incontinence	179
• association between anal sphincter defect/weakness and anal incontinence	179
• association between trauma and urinary incontinence.....	180
• association between urinary sphincter/pelvic floor weakness and urinary incontinence	180
• association between trauma and sexual dysfunction	180
2. What intrinsic obstetric factors can cause or contribute to pelvic floor disorders after birth?	181
• pregnancy	181
• high birthweight	182
• large head circumference	183
3. What modifiable non-obstetric factors can cause or contribute to pelvic floor disorders?	184
• body mass index	184
• exercise, general	185
• exercise, pelvic floor muscle	185
• smoking.....	186
• caffeine	187
• impaired mobility	187
• heavy lifting	187

• hormone replacement therapy	187
• medication.....	188
• constipation	188
• urinary tract infection/irritation	189
• disease.....	189
• hysterectomy	190
• gynecologic surgery.....	190
4. What intrinsic non-obstetric factors can cause or contribute to pelvic floor disorders?	191
• age.....	191
• genetic predisposition	192
• race.....	193
F. Does practice style influence cesarean, instrumental vaginal birth and episiotomy rates?	194
1. Variation in cesarean, instrumental delivery and episiotomy rates by type of hospital-based practitioner	194
2. Variation in cesarean rate among individual obstetricians	203
3. Cesarean sections done for indications that deviate from best practice	211
4. Variation in intervention rates attributable to institutional culture and training	213
• cesarean rate	213
• instrumental vaginal birth rate	215
• episiotomy rate.....	216
5. Goal intervention rates	219
6. Graphs to accompany practice variation tables	224
• Figure A. Effect of provider type on cesarean section rate: Practice variation among hospital- based providers.....	224
• Figure B. Effect of birth setting on provider: Variation of total cesarean section rate between hospital and out-of-hospital midwives	225
• Figure C. Effect of birth setting on provider: Variation of primiparous cesarean section rate between hospital and out-of-hospital midwives	226
• Figure D. Effect of birth setting on total cesarean section rate: Out-of-hospital birth	227
• Figure E. Effect of birth setting on primiparous cesarean section: Variation between hospital-based and out-of-hospital providers	228
• Figure F. Effect of provider type on vaginal instrumental delivery rate: Practice variation among hospital-based providers	229
• Figure G. Effect of birth setting on provider: Variation of instrumental vaginal birth rate between hospital and out-of-hospital midwives	230

- Figure H. Effect of birth setting on instrumental vaginal birth rate: Out-of-hospital birth 231
- Figure I. Effect of provider type on episiotomy rate: Practice variation among hospital-based providers 232
- Figure J. Effect of birth setting on provider: Variation of episiotomy rate between hospital and out-of-hospital midwives 233
- Figure K. Effect of birth setting on episiotomy rate: Out-of-hospital birth 234
- Figure L. Effect of birth setting on primiparous episiotomy rate: Variation between hospital-based and out-of-hospital providers 235